


Kegel-Reduzierschraubung

krv

Baureihe L

Passend in 24°-Innenkonen (Bohrungsform W DIN 3861)

sf
DK-
240


PN	D	∅ d	M	S	B	I1	O-Ring	DK-No.	€
L 315	8	6	M 14 x 1,5	17	12	25,5	6,0 x 1,5	DK-24086LZ	
	10	6	M 16 x 1,5	19	14	26,0	7,5 x 1,5	DK-240106LZ	
	8					26,0		DK-240108LZ	
	12	6	M 18 x 1,5	22	17	25,0	9,0 x 1,5	DK-240126LZ	
	8					26,0		DK-240128LZ	
	10					27,5		DK-2401210LZ	
	15	6	M 22 x 1,5	27	22	28,5	12 x 2,0	DK-240156LZ	
	8					28,5		DK-240158LZ	
	10					29,5		DK-2401510LZ	
	12					29,5		DK-2401512LZ	
	18	6	M 26 x 1,5	32	24	28,0	15 x 2,0	DK-240186LZ	
	8					28,0		DK-240188LZ	
	10					29,0		DK-2401810LZ	
	12					30,0		DK-2401812LZ	
	15					30,0		DK-2401815LZ	
160	22	6	M 30 x 2,0	36	27	32,0	20 x 2,0	DK-240226LZ	
	8					32,0		DK-240228LZ	
	10					33,0		DK-2402210LZ	
	12					33,0		DK-2402212LZ	
	15					34,0		DK-2402215LZ	
	18					33,5		DK-2402218LZ	

Werkstoff: 1.4571

O-Ring-Werkstoff: Viton


Auf Wunsch ohne Schneidring und Überwurfmutter lieferbar, in diesem Fall bitte „Z“ bei der DK-No. weglassen.

krv

Kegel-Reduzierschraubung

Baureihe L

Passend in 24°-Innenkonen (Bohrungsform W DIN 3861)


sf
DK-
240

PN	D	∅ d	M	S	B	l1	O-Ring	DK-No.	€
L 160	28	6	M 36 x 2,0	41	36	34,0	26 x 2,0	DK-240286LZ	
		8				34,0		DK-240288LZ	
		10				35,0		DK-2402810LZ	
		12				35,0		DK-2402812LZ	
		15				36,0		DK-2402815LZ	
		18				35,5		DK-2402818LZ	
		22				37,5		DK-2402822LZ	
	35	6	M 45 x 2,0	50	46	37,0	32 x 2,5	DK-240356LZ	
		8				37,0		DK-240358LZ	
		10				38,0		DK-2403510LZ	
		12				38,0		DK-2403512LZ	
		15				39,0		DK-2403515LZ	
		18				38,5		DK-2403518LZ	
		22				40,5		DK-2403522LZ	
		28				42,0		DK-2403528LZ	
	42	6	M 52 x 2,0	60	50	40,5	38 x 2,5	DK-240426LZ	
		8				40,5		DK-240428LZ	
		10				41,5		DK-2404210LZ	
		12				41,5		DK-2404212LZ	
		15				42,5		DK-2404215LZ	
		18				42,0		DK-2404218LZ	
		22				44,0		DK-2404222LZ	
		28				44,0		DK-2404228LZ	
		35				43,0		DK-2404235LZ	

■ Werkstoff: 1.4571



O-Ring-Werkstoff: Viton


Auf Wunsch ohne Schneidring und Überwurfmutter lieferbar, in diesem Fall bitte „Z“ bei der DK-No. weglassen.

Kegel-Reduzierschraubung

krv

Baureihe S

Passend in 24°-Innenkonen (Bohrungsform W DIN 3861)

SF
DK-
240


PN	D	∅ d	M	S	B	I1	O-Ring	DK-No.	€
S 630	8	6	M 16 x 1,5	19	14	27,0	6,0 x 1,5	DK-24086SZ	
	10	6	M 18 x 1,5	22	17	27,5	7,5 x 1,5	DK-240106SZ	
		8				28,9		DK-240108SZ	
	12	6	M 20 x 1,5	24	17	29,0	9,0 x 1,5	DK-240126SZ	
		8			17	29,0		DK-240128SZ	
		10			19	29,5		DK-2401210SZ	
	14	6	M 22 x 1,5	27	22	31,5	10,0 x 2,0	DK-240146SZ	
		8			22	31,5		DK-240148SZ	
		10			22	31,0		DK-2401410SZ	
		12			22	31,0		DK-2401412SZ	
	16	6	M 24 x 1,5	30	22	33,0	12,0 x 2,0	DK-240166SZ	
	400	8			22	33,0		DK-240168SZ	
		10			22	33,0		DK-2401610SZ	
		12			22	33,0		DK-2401612SZ	
		14			24	35,5		DK-2401614SZ	
	20	6	M 30 x 2,0	36	27	40,0	16,3 x 2,4	DK-240206SZ	
		8				40,0		DK-240208SZ	
		10				39,5		DK-2402010SZ	
		12				39,5		DK-2402012SZ	
		14				41,0		DK-2402014SZ	
		16				40,5		DK-2402016SZ	

■ Werkstoff: 1.4571

O-Ring-Werkstoff: Viton


Auf Wunsch ohne Schneidring und Überwurfmutter lieferbar, in diesem Fall bitte „Z“ bei der DK-No. weglassen

krv

Kegel-Reduzierschraubung

Baureihe S

Passend in 24°-Innenkonen (Bohrungsform W DIN 3861)


SF
DK-
240

PN	D	∅ d	M	S	B	l1	O-Ring	DK-No.	€
S 400	25	6	M 36 x 2,0	46	36	38,5	20,3 x 2,4	DK-240256SZ	
		8				41,0		DK-240258SZ	
		10				41,0		DK-2402510SZ	
		12				40,5		DK-2402512SZ	
		14				41,5		DK-2402514SZ	
		16				41,0		DK-2402516SZ	
		20				41,0		DK-2402520SZ	
	30	6	M 42 x 2,0	50	41	44,0	25,3 x 2,4	DK-240306SZ	
		8				44,0		DK-240308SZ	
		10				43,5		DK-2403010SZ	
		12				43,5		DK-2403012SZ	
		14				45,0		DK-2403014SZ	
		16				44,5		DK-2403016SZ	
		20				44,5		DK-2403020SZ	
		25				45,0		DK-2403025SZ	
	38	6	M 52 x 2,0	60	50	51,9	33,3 x 2,4	DK-240386SZ	
315		8				51,9		DK-240388SZ	
		10				51,9		DK-2403810SZ	
		12				51,9		DK-2403812SZ	
		14				52,9		DK-2403814SZ	
		16				54,0		DK-2403816SZ	
		20				53,9		DK-2403820SZ	
		25				54,5		DK-2403825SZ	
		30				55,0		DK-2403830SZ	

■ Werkstoff: 1.4571



O-Ring-Werkstoff: Viton

Auf Wunsch ohne Schneidring und Überwurfmutter lieferbar, in diesem Fall bitte „Z“ bei der DK-No. weglassen